

FACILITY NAME AND PERMIT NUMBER:

Alamo WWTP 0024988

Form Approved 1/14/99 OMB Number 2040-0086

FORM

2A NPDES

NPDES FORM 2A APPLICATION OVERVIEW

APPLICATION OVERVIEW

Form 2A has been developed in a modular format and consists of a "Basic Application Information" packet and a "Supplemental Application Information" packet. The Basic Application Information packet is divided into two parts. All applicants must complete Parts A and C. Applicants with a design flow greater than or equal to 0.1 mgd must also complete Part B. Some applicants must also complete the Supplemental Application Information packet. The following items explain which parts of Form 2A you must complete.

BASIC APPLICATION INFORMATION:

- A. Basic Application Information for all Applicants. All applicants must complete questions A.1 through A.8. A treatment works that discharges effluent to surface waters of the United States must also answer questions A.9 through A.12.
- B. Additional Application Information for Applicants with a Design Flow ≥ 0.1 mgd. All treatment works that have design flows greater than or equal to 0.1 million gallons per day must complete questions B.1 through B.6.
- C. Certification. All applicants must complete Part C (Certification).

SUPPLEMENTAL APPLICATION INFORMATION:

- D. Expanded Effluent Testing Data. A treatment works that discharges effluent to surface waters of the United States and meets one or more of the following criteria must complete Part D (Expanded Effluent Testing Data):
 - 1. Has a design flow rate greater than or equal to 1 mgd,
 - 2. Is required to have a pretreatment program (or has one in place), or
 - 3. Is otherwise required by the permitting authority to provide the information.
- E. Toxicity Testing Data. A treatment works that meets one or more of the following criteria must complete Part E (Toxicity Testing Data):
 - 1. Has a design flow rate greater than or equal to 1 mgd,
 - 2. Is required to have a pretreatment program (or has one in place), or
 - 3. Is otherwise required by the permitting authority to submit results of toxicity testing.
- F. Industrial User Discharges and RCRA/CERCLA Wastes. A treatment works that accepts process wastewater from any significant industrial users (SIUs) or receives RCRA or CERCLA wastes must complete Part F (Industrial User Discharges and RCRA/CERCLA Wastes). SIUs are defined as:
 - All industrial users subject to Categorical Pretreatment Standards under 40 Code of Federal Regulations (CFR) 403.6 and 40 CFR Chapter I, Subchapter N (see instructions); and
 - 2. Any other industrial user that:
 - a. Discharges an average of 25,000 gallons per day or more of process wastewater to the treatment works (with certain exclusions); or
 - b. Contributes a process wastestream that makes up 5 percent or more of the average dry weather hydraulic or organic capacity of the treatment plant; or
 - c. Is designated as an SIU by the control authority.
- G. Combined Sewer Systems. A treatment works that has a combined sewer system must complete Part G (Combined Sewer Systems).

ALL APPLICANTS MUST COMPLETE PART C (CERTIFICATION)

	LITY NAME AND PE	RMIT NUMBER:	 188		Form Approved 1/14/99 OMB Number 2040-0086
		TION INFORMATION	Naj v č		
PAR	T A. BASIC APPL	ICATION INFORMATION	N FOR ALL APPLICAN	ITS:	
All tr	eatment works must	complete questions A.1 th	rough A.8 of this Basic	Application Information packet.	
A.1.	Facility Information	Λ.			
	Facility name	Hamo WUT	<u>P</u>		
	Mailing Address	74 East Park	St. Alams	Tenn 3800/	
	Contact person	We Tornny G	(een		
	Title	Mayor			<u>-</u>
	Telephone number	731-696-4515			
	Facility Address	7H HUV SH	North Alama	Tepp 38001	
	(not P.O. Box)				_
A.2.	Applicant Informati	ion. If the applicant is differen	nt from the above, provide	the following:	
	Applicant name				
	Mailing Address				
	Contact person				
	Title				
	Telephone number				
	Is the applicant the	owner or operator (or both) of the treatment works	?	
	owner	operator			
	Indicate whether confidence facility	respondence regarding this p applicant	ermit should be directed t	o the facility or the applicant.	
Δ3			ermit number of any exist	ng environmental permits that have be	een issued to the treatment
	works (include state-		· · · · · · · · · · · · · · · · · · ·		, , , , , , , , , , , , , , , , , , , ,
	NPDES OCA	4988		PSD	
	UIC				
	RCRA			Other	
A.4.				d areas served by the facility. Provide em (combined vs. separate) and its ow	
	Name	Population	n Served Type	of Collection System Ow	/nership
	Alamo Wa	130C	<u> </u>	eparate _	Municipal
					<u>_</u>

Total population served

_	Y NAME AND PERMIT NUMBER:				proved 1/14/99 mber 2040-0086
Ala	100 WWTP 0024988				
5. Ín	dian Country.				
a.	Is the treatment works located in Indian C	ountry?			
	Yes				
b.	Does the treatment works discharge to a through) Indian Country?	eceiving water that is eit	ther in Indian Country or that	is upstream from (and ev	entually flows
	Yes No				
a	ow. Indicate the design flow rate of the trea verage daily flow rate and maximum daily flo priod with the 12th month of "this year" occur	tment plant (i.e., the was w rate for each of the las	st three years. Each year's d	lata must be based on a	
a.	Design flow rate mgd				
	•	Two Years Ago	Last Year	This Year	
b.	Annual average daily flow rate	7330		.350	mgd
C.	Maximum daily flow rate				mgd
<u>-</u>	Separate sanitary sewer Combined storm and sanitary sewer				% %
8. D	ischarges and Other Disposal Methods.				
a.	Does the treatment works discharge efflue	ent to waters of the U.S.	?	X Yes	No
	If yes, list how many of each of the followi				
	i. Discharges of treated effluent	3 77			•
	ii. Discharges of untreated or partially tre	eated effluent			
	iii. Combined sewer overflow points				
	iv. Constructed emergency overflows (pr	ior to the headworks)			
	v. Other	,			
b	Does the treatment works discharge efflue impoundments that do not have outlets for			Yes	X No
	If yes, provide the following for each surfa	-			/
	Laselian	oc impograment.			
	Annual average daily volume discharged		(s)		mgd
	Is discharge continuous or	·			94
			5 .		
C.	Does the treatment works land-apply trea	ted wastewater?		Yes	X No
	If yes, provide the following for each land	application site:			•
	Location:				
	Number of acres:				
	Annual average daily volume applied to s	te:	Mgd		
	, amount a contago damy volumo apprior to o				
	Is land application continu	ous or in	termittent?		
đ	Is land application continu				

If yes, describe t works (e.g., tank	he mean(s) by which the wastewater from the treatment works is discharged or tran truck, pipe).	sported to the other treatment
If transport is by	a party other than the applicant provide:	·
Transporter nam	a party other than the applicant, provide:	
Mailing Address:	-	10
Mailing Address.	-	
Contact person:		
Title:		
Telephone numb	per:	
Name:		
Name:		
Name: Mailing Address:		
Name: Mailing Address: Contact person:		
Name: Mailing Address: Contact person: Title: Telephone numb		
Name: Mailing Address: Contact person: Title: Telephone numb	per:	mg
Name: Mailing Address: Contact person: Title: Telephone numb If known, provide Provide the aver	per: e the NPDES permit number of the treatment works that receives this discharge.	mg
Name: Mailing Address: Contact person: Title: Telephone numb If known, provide Provide the aver Does the treatme A.8.a through A.	e the NPDES permit number of the treatment works that receives this discharge. age daily flow rate from the treatment works into the receiving facility. ent works discharge or dispose of its wastewater in a manner not included in	

		Y NAME AND PERMIT NUMBER:				Form Approved 1/14/99 OMB Number 2040-0086
باز	n	0024988				
W	AS	TEWATER DISCHARGES:				
If	you	u answered "yes" to question A.8.a, complete questi	ons A.9 through A.1	2 one	e for each out	fall (including bypass points) through
wt A.	nich 8.a	n effluent is discharged. Do not include information on , go to Part B, "Additional Application Information for A	combined sewer ov pplicants with a Des	erflow sign F	<i>i</i> s in this section low Greater tha	 If you answered "no" to question n or Equal to 0.1 mgd."
.	Des	scription of Outfall.				
	a.	Outfall number 00				
	b.	Location Alarno				<u>3800i</u>
		(City or town, if applicable)			•	Zip Code)
		(County)				State)
		(Latitude)			(L	ongitude)
	c.	Distance from shore (if applicable)	<i>N</i>		ft.	
	d.	Depth below surface (if applicable)	NA		ft.	
	e.	Average daily flow rate			mgd	
	f.	Does this outfall have either an intermittent or a				
	••	periodic discharge?	Y	es	X	No (go to A.9.g.)
		If yes, provide the following information:				
		Number of times per year discharge occurs:				
		Average duration of each discharge:				
		Average flow per discharge:				mgd
		Months in which discharge occurs:				_
	g.	Is outfall equipped with a diffuser?	Y	es	X	No
_	_	tu to the second				
U.	Des	scription of Receiving Waters.				
	a.	Name of receiving water	vek Creek			
	b.	Name of watershed (if known)				
		United States Soil Conservation Service 14-digit water	rshed code (if know	/n):		
	C.	Name of State Management/River Basin (if known):				
		- · · · · · · · · · · · · · · · · · · ·				
		United States Geological Survey 8-digit hydrologic ca	taloging unit code (i	f knov	wn):	
	d.	Critical low flow of receiving stream (if applicable):				
		acute cfs	chronic _		cfs	
	e.	Total hardness of receiving stream at critical low flow	(if applicable):		mg/l	of CaCO ₃

FACILITY	Y NAME AND P	ERMIT NUI	MBER:						m Approved 1/14/99
Al	and Whit	TP O	1024988					OM	B Number 2040-0086
A.11. De:	scription of Tre	, ,				., ., .			
a.	What levels of	treatment a	re provided? CI	neck all that a	pply.				
	_X Pri	mary		Secor	ndary				
	Ad	vanced		Other	. Describe:				
b.	Indicate the following	lowing remo	oval rates (as a	oplicable):					
	Design BOD ₅ re	emoval <u>or</u> D	esign CBOD ₅ r	emoval		<u>\$</u>	5 908	%	
	Design SS rem	noval				_8	5 9	%	
	Design P remo	val				****		%	
	Design N remo	val						%	
	Other							 %	
C.	What type of di	isinfection is	used for the e	ffluent from th	nis outfall? If disir	fection varies	by season, pl	ease describe.	
	chloro						, ,,		
	If disinfection is		ation, is dechlor	ination used f	for this outfall?		X Ye	s	No
d.	Does the treatr	•				-	X Ye		No
		-				-			ta for the following
of At	40 CFR Part 13	6 and other	r appropriate (ng data must b	A/QC requir	ements for star	ndard method	ds for analyte:	s not addresse	QA/QC requirements d by 40 CFR Part 136. d one-half years apart.
	PARAMET	ER	M	IAXIMUM DA	ILY VALUE		AVEF	RAGE DAILY VA	LUE
			V	alue	Units	Valu	е	Units	Number of Samples
pH (Minir	mum)		Ĺ	0,0	s.u.				
pH (Maxi	imum)		Q	60	s.u.				
Flow Rat	e								**
Tempera	iture (Winter)								
	iture (Summer) or pH please rep	oort a minim	num and a max	mum daily va	lue				
	POLLUTANT		MAXIMU DISCH	M DAILY		E DAILY DISC	CHARGE	ANALYTICAL METHOD	. ML/MDL
			Conc.	Units	Conc.	Units	Number of Samples		
CONVEN	TIONAL AND N	ONCONVE	NTIONAL COM	IPOUNDS.					
ВІОСНЕМ	IICAL OXYGEN	BOD-5							
DEMAND	(Report one)	CBOD-5	30				3/7	5.Method	
FECAL CO	DLIFORM E .	Coli	941/1000	<u> </u>			3/7	5/ ethoc	
TOTAL SU	JSPENDED SOL	IDS (TSS)	45	1			3/7	5 method	
REFE	R TO THE	: APPI I	CATION (ND OF PAR		WHICH	OTHER DA	ARTS OF FORM

2A YOU MUST COMPLETE

FAC	LITY NAME AND PERMIT NUMBER:	Form Approved 1/14/99 OMB Number 2040-0086
A	lama WWTP 0034988	OND Number 2040-0000
BA	SIC APPLICATION INFORMATION	
PAR	T B. ADDITIONAL APPLICATION INFORMATION FOR APPL EQUAL TO 0.1 MGD (100,000 gallons per day).	ICANTS WITH A DESIGN FLOW GREATER THAN OR
All a	pplicants with a design flow rate \geq 0.1 mgd must answer questions B.1 thro	ugh B.6. All others go to Part C (Certification).
B.1.	Inflow and Infiltration. Estimate the average number of gallons per day	that flow into the treatment works from inflow and/or infiltration.
der	prots on rain fall god	
·	Briefly explain any steps underway or planned to minimize inflow and infil	tration.
	rehalo sower lines + Manholes	
B.2.	Topographic Map. Attach to this application a topographic map of the a This map must show the outline of the facility and the following information the entire area.)	
	a. The area surrounding the treatment plant, including all unit processes	5.
	 The major pipes or other structures through which wastewater enters treated wastewater is discharged from the treatment plant. Include o 	
	c. Each well where wastewater from the treatment plant is injected under	erground.
	 Wells, springs, other surface water bodies, and drinking water wells t works, and 2) listed in public record or otherwise known to the applica- 	
	e. Any areas where the sewage sludge produced by the treatment work	s is stored, treated, or disposed.
	f. If the treatment works receives waste that is classified as hazardous truck, rail, or special pipe, show on the map where that hazardous wa disposed.	
B.3.	Process Flow Diagram or Schematic. Provide a diagram showing the p backup power sources or redundancy in the system. Also provide a water chlorination and dechlorination). The water balance must show daily aver flow rates between treatment units. Include a brief narrative description of	balance showing all treatment units, including disinfection (e.g., age flow rates at influent and discharge points and approximate daily
B.4.	Operation/Maintenance Performed by Contractor(s).	
	Are any operational or maintenance aspects (related to wastewater treatmontractor?YesNo	ent and effluent quality) of the treatment works the responsibility of a
	If yes, list the name, address, telephone number, and status of each contr pages if necessary).	actor and describe the contractor's responsibilities (attach additional
	Name:	
	Mailing Address:	
	Telephone Number:	
	Responsibilities of Contractor:	
B.5.	Scheduled Improvements and Schedules of Implementation. Provide uncompleted plans for improvements that will affect the wastewater treatment works has several different implementation schedules or is plan B.5 for each. (If none, go to question B.6.)	nent, effluent quality, or design capacity of the treatment works. If the
	a. List the outfall number (assigned in question A.9) for each outfall that	is covered by this implementation schedule.
	b. Indicate whether the planned improvements or implementation sched	lule are required by local, State, or Federal agencies.

FACILIT	Y NAME AND PERM	MIT NUMBER:		Form Approved 1/14/99 OMB Number 2040-0086						
Alger	DISCHARGE Conc. Units Conc. ONVENTIONAL AND NONCONVENTIONAL COMPOUNDS. MMONIA (as N) HLORINE (TOTAL ESIDUAL, TRC) ODISCHARGE Conc. Units Conc. Units Conc.					ONL NUM	Der 2040-0000			
•	•	5.b is "Yes," briefly o	describe, includ	n daily inflow r	rate (if applicab	le).	· ·			
d.	applicable. For imp	provements planne	d independentl	y of local, State, o						
			Schedule	Actu	al Completion	1				
	Implementation Sta	age	MM / DD / Y	YYY MM	DD / YYYY					
	 Begin construction 	n	//		_/					
	 End construction 									
	 Begin discharge 									
	 Attain operationa 	l level	// _							
e.	Have appropriate r	ermits/clearances	concerning oth	er Federal/State r	equirements b	een obtained?	Yes	No		
			_		·					
	-									
B.6. EFF	LUENT TESTING D	ATA (GREATER T	HAN O.1 MGI	ONLY).						
tes ov me sta	sting required by the erflows in this section ethods. In addition, to andard methods for a	permitting authority n. All information re his data must comp analytes not addres	y <u>for each outfa</u> eported must b oly with QA/QC sed by 40 CFR	all through which e be based on data of requirements of a R Part 136. At a m	ffluent is dischollected throu IO CFR Part 1	narged. Do not gh analysis co 36 and other a	include information or nducted using 40 CFR ppropriate QA/QC requ	n combined sewer Part 136 uirements for		
		4		,						
Р	OLLUTANT			AVERAGE	DAILY DISCH	HARGE				
				Conc.	Units	Number of Samples	ANALYTICAL METHOD	ML / MDL		
CONVEN	TIONAL AND NON	CONVENTIONAL	COMPOUNDS	<u>I</u>						
AMMONI	A (as N)	25		0.7		3/-7	< Matheda			
					·	1	S. Methods S. Methods			
RESIDUA	AL, TRC)	107		, 00		5/7	5. Methods			
DISSOLV	red oxygen h	U KOO ; COOL		100 60		5/7	5. Methods			
	JELDAHL				***					
NITRATE	PLUS NITRITE	1-								
PHOSPH	ORUS (Total)									
						1				
SOLIDS										
OTHER										
						1	I			
DEEE	D TO THE A			END OF PAI		- 14/111011	OTHER RADE			

REFER TO THE APPLICATION OVERVIEW TO DETERMINE WHICH OTHER PARTS OF FORM 2A YOU MUST COMPLETE

FACILITY NAME AND PERMIT NUMBER:	Form Approved 1/14/99
Alamo WW7P OCHY988	OMB Number 2040-0086 .
BASIC APPLICATION INFORMATION	
PART C. CERTIFICATION	
All applicants must complete the Certification Section. Refer to instructions to determine applicants must complete all applicable sections of Form 2A, as explained in the A have completed and are submitting. By signing this certification statement, applications that apply to the facility for which this application is submitted.	pplication Overview. Indicate below which parts of Form 2A you
Indicate which parts of Form 2A you have completed and are submitting:	
Basic Application Information packet Supplemental Application	Information packet:
Part D (Expanded	d Effluent Testing Data)
Part E (Toxicity T	esting: Biomonitoring Data)
Part F (Industrial	User Discharges and RCRA/CERCLA Wastes)
Part G (Combine	d Sewer Systems)
ALL APPLICANTS MUST COMPLETE THE FOLLOWING CERTIFICATION.	
I certify under penalty of law that this document and all attachments were prepared designed to assure that qualified personnel properly gather and evaluate the information who manage the system or those persons directly responsible for gathering the integration belief, true, accurate, and complete. I am aware that there are significant penalties and imprisonment for knowing violations.	mation submitted. Based on my inquiry of the person or persons formation, the information is, to the best of my knowledge and
Name and official title TOMMY GREEN	n Ayor
Signature Signature Signature	·
Telephone number 731 \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	
Date signed	
Upon request of the permitting authority, you must submit any other information new works or identify appropriate permitting requirements.	ecessary to assess wastewater treatment practices at the treatment

SEND COMPLETED FORMS TO:

FACILITY NAME AND PERMIT N	IUMBER	:									oved 1/14/99 ber 2040-0086
SUPPLEMENTAL API	PLICA	TION	INF	ORMA	ATION						
PART D. EXPANDED EFFLU	JENT TE	ESTING	G DATA	<u> </u>							
Refer to the directions on the co	over pag	e to de	termine	whethe	this sec	tion ap	plies to	the trea	atment worl	ks.	
Effluent Testing: 1.0 mgd and P (or is required to have) a pretreath data for the following pollutants. Feach outfall through which effluent must be based on data collected to requirements of 40 CFR Part 136 Indicate in the blank rows provided must be based on at least three positions.	nent prog Provide that is dischap hrough a and othe d below a	ram, or ne indica arged. nalyses r approp any data	is other ated efflu Do not ir conduct priate QA you ma	wise requent testinclude in ted using VQC requently testing testing the contraction of th	uired by t ng inform formatior 40 CFR uirement n polluta	the perm nation ar n on com Part 13 ts for sta nts not s	nitting au nd any o nbined se 6 metho andard m specifica	ithority to ther info ewer over ds. In a nethods Ily listed	o provide the rmation requestions in the ddition, thes for analytes in this form	e data, then provide uired by the permitti is section. All inform se data must comply not addressed by 4	effluent testing ng authority <u>for</u> nation reported with QA/QC 0 CFR Part 136.
Outfall number:		•							of the Unite	d States.)	
POLLUTANT	۸ ا		IM DAIL` IARGE	Y	A\	/ERAGE	DAILY	DISCHA	ARGE		
	Conc.	Units	Mass	Units	Conc.	Units	Mass	Units	Number of	ANALYTICAL METHOD	ML/ MDL
METALS (TOTAL RECOVERABLE), C	YANIDE,	PHENO	LS, AND	HARDNE	SS.				Samples		
ANTIMONY											
ARSENIC											
BERYLLIU M											
CADMIUM											
CHROMIUM								i			
COPPER											
LEAD											
MERCURY											
NICKEL											
SELENIUM											
SILVER											
THALLIUM											
ZINC											
CYANIDE											
TOTAL PHENOLIC COMPOUNDS											
HARDNESS (AS CaCO ₃)											
Use this space (or a separate sheet) to	provide in	formatio	n on othe	r metals re	equested t	by the per	rmit writer	r			

Outfall number:POLLUTANT		/AXIMU	e for eac					DISCHA			
	Conc.	DISCH	HARGE Mass	Units	Conc.	Units	Mass	Units	Number of Samples	ANALYTICAL METHOD	ML/ MDL
VOLATILE ORGANIC COMPOUNDS.	1			·	I	·		1	- Cumpics		
ACROLEIN											
ACRYLONITRILE											
BENZENE											
BROMOFORM											
CARBON TETRACHLORIDE											
CLOROBENZENE											
CHLORODIBROMO-METHANE											
CHLOROETHANE											
2-CHLORO-ETHYLVINYL ETHER											
CHLOROFORM											
DICHLOROBROMO-METHANE											
1,1-DICHLOROETHANE											
1,2-DICHLOROETHANE											
TRANS-1,2-DICHLORO-ETHYLENE											
1,1-DICHLOROETHYLENE											
1,2-DICHLOROPROPANE											
1,3-DICHLORO-PROPYLENE											
ETHYLBENZENE											
METHYL BROMIDE											
METHYL CHLORIDE											
METHYLENE CHLORIDE											
1,1,2,2-TETRACHLORO-ETHANE											
TETRACHLORO-ETHYLENE											
TOLUENE											

Outfall number:	(Comp	ete onc	e for eac	ch outfall	discharg	jing efflu	ent to w	aters of	the United S	States.)	
POLLUTANT		MAXIMU	M DAIL				DAILY				
	Conc.	Units	Mass	Units	Conc.	Units	Mass	Units	Number of Samples	ANALYTICAL METHOD	ML/ MDL
1,1,1-TRICHLOROETHANE									•		
1,1,2-TRICHLOROETHANE											
TRICHLORETHYLENE											
VINYL CHLORIDE											
Use this space (or a separate sheet) to	provide in	formatio	n on other	r volatile o	organic co	mpounds	requeste	d by the p	permit writer.		
ACID-EXTRACTABLE COMPOUNDS											
AOID-EXTRAOTABLE CONTROCKED	1			1	1		1	T			
P-CHLORO-M-CRESOL			**	,							
2-CHLOROPHENOL											
2,4-DICHLOROPHENOL						_					
2,4-DIMETHYLPHENOL											
4,6-DINITRO-O-CRESOL											
2,4-DINITROPHENOL											
2-NITROPHENOL											
4-NITROPHENOL											
PENTACHLOROPHENOL											
PHENOL											
2,4,6-TRICHLOROPHENOL											
Use this space (or a separate sheet) to	provide ir	formatio	n on othe	r acid-ext	actable co	ompound	s request	ed by the	permit writer.		
BASE-NEUTRAL COMPOUNDS.	.1	1	<u></u>	<u> </u>	ł	I	1		<u> </u>		
ACENAPHTHENE											
ACENAPHTHYLENE											
ANTHRACENE											
BENZIDINE											
BENZO(A)ANTHRACENE											
BENZO(A)PYRENE											

Outfall number:POLLUTANT	MAXIMUM DAILY DISCHARGE				discharg	-	DAILY				
	Conc.	Units	Mass	Units	Conc.	Units	Mass	Units	Number of Samples	ANALYTICAL METHOD	ML/ MDL
3,4 BENZO-FLUORANTHENE											
BENZO(GHI)PERYLENE											
BENZO(K)FLUORANTHENE											
BIS (2-CHLOROETHOXY) METHANE											
BIS (2-CHLOROETHYL)-ETHER											
BIS (2-CHLOROISO-PROPYL) ETHER											
BIS (2-ETHYLHEXYL) PHTHALATE											
4-BROMOPHENYL PHENYL ETHER											
BUTYL BENZYL PHTHALATE											
2-CHLORONAPHTHALENE									, ,		
4-CHLORPHENYL PHENYL ETHER											
CHRYSENE											
DI-N-BUTYL PHTHALATE											
DI-N-OCTYL PHTHALATE											
DIBENZO(A,H) ANTHRACENE											
1,2-DICHLOROBENZENE											
1,3-DICHLOROBENZENE											
1,4-DICHLOROBENZENE											
3,3-DICHLOROBENZIDINE											
DIETHYL PHTHALATE											
DIMETHYL PHTHALATE											
2,4-DINITROTOLUENE											
2,6-DINITROTOLUENE											
1,2-DIPHENYLHYDRAZINE											11.21

EAGUITY	ALABAT.	AND	OFFINIT	NUMBER:
FACILITY	NANE	AND	PERMII	NUMBER:

Form Approved 1/14/99 OMB Number 2040-0086

Outfall number:	Outfall number: (Complete once for each outfall discharging effluent to waters of the United States.)										
POLLUTANT	٨		IM DAIL` HARGE	Y	AVERAGE DAILY DISCHARGE						
	Conc.	Units	Mass	Units	Conc.	Units	Mass	Units	Number of Samples	ANALYTICAL METHOD	ML/ MDL
FLUORANTHENE											
FLUORENE											
HEXACHLOROBENZENE											
HEXACHLOROBUTADIENE											
HEXACHLOROCYCLO- PENTADIENE											
HEXACHLOROETHANE											
INDENO(1,2,3-CD)PYRENE			_								
ISOPHORONE											
NAPHTHALENE											
NITROBENZENE											
N-NITROSODI-N-PROPYLAMINE											
N-NITROSODI- METHYLAMINE											
N-NITROSODI-PHENYLAMINE											
PHENANTHRENE											
PYRENE											
1,2,4-TRICHLOROBENZENE											
Use this space (or a separate sheet) to provide information on other base-neutral compounds requested by the permit writer.											
Use this space (or a separate sheet) to	provide ir	nformatio	n on other	pollutant	s (e.g., pe	sticides)	requested	by the p	permit writer.		

END OF PART D.
REFER TO THE APPLICATION OVERVIEW TO DETERMINE WHICH OTHER PARTS OF FORM
2A YOU MUST COMPLETE

FACILITY	NAME	AND	PERMIT	NUMBER:
	14/-04	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		

Form Approved 1/14/99 OMB Number 2040-0086

SUPPLEMENTAL APPLICATION INFORMATION

PART E. TOXICITY TESTING DATA

POTWs meeting one or more of the following criteria must provide the results of whole effluent toxicity tests for acute or chronic toxicity for each of the facility's discharge points: 1) POTWs with a design flow rate greater than or equal to 1.0 mgd; 2) POTWs with a pretreatment program (or those that are required to have one under 40 CFR Part 403); or 3) POTWs required by the permitting authority to submit data for these parameters.

- At a minimum, these results must include quarterly testing for a 12-month period within the past 1 year using multiple species (minimum of two species), or the results from four tests performed at least annually in the four and one-half years prior to the application, provided the results show no appreciable toxicity, and testing for acute and/or chronic toxicity, depending on the range of receiving water dilution. Do not include information on combined sewer overflows in this section. All information reported must be based on data collected through analysis conducted using 40 CFR Part 136 methods. In addition, this data must comply with QA/QC requirements of 40 CFR Part 136 and other appropriate QA/QC requirements for standard methods for analytes not addressed by 40 CFR Part 136.
- In addition, submit the results of any other whole effluent toxicity tests from the past four and one-half years. If a whole effluent toxicity test conducted during the past four and one-half years revealed toxicity, provide any information on the cause of the toxicity or any results of a toxicity reduction evaluation, if one was conducted.
- If you have already submitted any of the information requested in Part E, you need not submit it again. Rather, provide the information requested in question E.4 for previously submitted information. If EPA methods were not used, report the reasons for using alternate methods. If test summaries are available that contain all of the information requested below, they may be submitted in place of Part E.

If no biomonitoring data is required, do not complete Part E. Refer to the Application Overview for directions on which other sections of the form to complete. E.1. Required Tests. Indicate the number of whole effluent toxicity tests conducted in the past four and one-half years. E.2. Individual Test Data. Complete the following chart for each whole effluent toxicity test conducted in the last four and one-half years. Allow one column per test (where each species constitutes a test). Copy this page if more than three tests are being reported. Test number: Test number: Test number: a. Test information. Test species & test method number Age at initiation of test Outfall number Dates sample collected Date test started Duration b. Give toxicity test methods followed. Manual title Edition number and year of publication Page number(s) c. Give the sample collection method(s) used. For multiple grab samples, indicate the number of grab samples used. 24-Hour composite Grab d. Indicate where the sample was taken in relation to disinfection. (Check all that apply for each) Before disinfection After disinfection After dechlorination

FACILITY NAME AND PERMIT NUMBER	R:		Form Approved 1/14/99 OMB Number 2040-0086
	Test number:	Test number:	Test number:
e. Describe the point in the treatmen	nt process at which the sample was o	collected.	
Sample was collected:			
f. For each test, include whether the	e test was intended to assess chronic	toxicity, acute toxicity, or both.	
Chronic toxicity			
Acute toxicity			
g. Provide the type of test performe	d.		
Static			
Static-renewal			
Flow-through			
h. Source of dilution water. If labora	atory water, specify type; if receiving	water, specify source.	•
Laboratory water			
Receiving water			
i. Type of dilution water. It salt water	er, specify "natural" or type of artificia	l sea salts or brine used.	
Fresh water			
Salt water			
j. Give the percentage effluent used	for all concentrations in the test seri	es.	
k. Parameters measured during the	test. (State whether parameter mee	ts test method specifications)	
рН			
Salinity			
Temperature			
Ammonia			
Dissolved oxygen			
I. Test Results.			
Acute:			
Percent survival in 100% effluent	%		% %
LC ₅₀			
95% C.I.	%		% %
Control percent survival	%		%
Other (describe)			

FACILITY NAME AND PERMIT NUMBER	₹:		Form Approved 1/14/99 OMB Number 2040-0086			
Chronic:	4.90444.4					
NOEC	%	%	%			
IC ₂₅	%	%	%			
Control percent survival	%	%	%			
Other (describe)						
m. Quality Control/Quality Assuran	ce.					
Is reference toxicant data available?						
Was reference toxicant test within acceptable bounds?						
What date was reference toxicant test run (MM/DD/YYYY)?						
Other (describe)						
E.3. Toxicity Reduction Evaluation. Is the treatment works involved in a Toxicity Reduction Evaluation? YesNo						
summary of the results.						
Date submitted: (MM/DD/YYYY)						
Summary of results: (see instructions)						
	END OF D	ADT F				

END OF PART E.

REFER TO THE APPLICATION OVERVIEW TO DETERMINE WHICH OTHER PARTS OF FORM

2A YOU MUST COMPLETE.

FACI	LITY NAME AND PERMIT NUMBER:	Form Approved 1/14/99 OMB Number 2040-0086
SU	PPLEMENTAL APPLICATION INFORMATION	
	TF. INDUSTRIAL USER DISCHARGES AND RCRA/CEI eatment works receiving discharges from significant industrial users or olete Part F.	
GEN	IERAL INFORMATION:	
F.1.	Pretreatment Program. Does the treatment works have, or is it subject to,	an approved pretreatment program?
	YesNo	
F.2.	Number of Significant Industrial Users (SIUs) and Categorical Industrial of industrial users that discharge to the treatment works.	al Users (CIUs). Provide the number of each of the following types
	a. Number of non-categorical SIUs.	
	b. Number of CIUs.	
SIG	NIFICANT INDUSTRIAL USER INFORMATION:	
	ly the following information for each SIU. If more than one SIU dischar	ges to the treatment works, copy guestions F.3 through F.8
and	provide the information requested for each SIU.	
F.3.	Significant Industrial User Information . Provide the name and address or pages as necessary.	f each SIU discharging to the treatment works. Submit additional
	Name:	
	Mailing Address:	
F.4.	Industrial Processes. Describe all of the industrial processes that affect o	r contribute to the SIU's discharge.
F.5.	Principal Product(s) and Raw Material(s). Describe all of the principal pr discharge.	ocesses and raw materials that affect or contribute to the SIU's
	Principal product(s):	
	Raw material(s):	
F.6.	Flow Rate.	
	Process wastewater flow rate. Indicate the average daily volume of proper day (gpd) and whether the discharge is continuous or intermittent.	cess wastewater discharged into the collection system in gallons
	gpd (continuous orintermittent)	
	Non-process wastewater flow rate. Indicate the average daily volume of system in gallons per day (gpd) and whether the discharge is continuous.	
	gpd (continuous orintermittent)	
F.7.	Pretreatment Standards. Indicate whether the SIU is subject to the following	ng:
	a. Local limitsYesNo	-
	b. Categorical pretreatment standardsYesNo	
	If subject to categorical pretreatment standards, which category and subcat	egory?

FAC	LITY	Y NAME AND PERMIT NUMBER:		Form Approved 1/14/99 OMB Number 2040-0086		
F.8.		oblems at the Treatment Works Attributed to Waste Disc sets, interference) at the treatment works in the past three y		the SIU. Has the SIU caused or contributed to any problems (e.g.,		
		YesNo				
	RC	HAZARDOUS WASTE RECEIVED BY TRUCK, RAII RA Waste. Does the treatment works receive or has it in the ereceive or has a constant or has a con		DICATED PIPELINE: ee years received RCRA hazardous waste by truck, rail, or dedicated		
F.10	. Wa	aste Transport. Method by which RCRA waste is received	(check all tha	that apply):		
		TruckRailDedicated	l Pipe			
F.11		aste Description. Give EPA hazardous waste number and PA Hazardous Waste Number Amoun		olume or mass, specify units). <u>Units</u>		
		A (SUPERFUND) WASTEWATER, RCRA REMEDIA N WASTEWATER, AND OTHER REMEDIAL ACTIV				
		emediation Waste. Does the treatment works currently (or	has it been n	n notified that it will) receive waste from remedial activities?		
	Yes (complete F.13 through F.15.)No					
	PI	rovide a list of sites and the requested information (F.13 - F.	15.) for each	ch current and future site.		
F.13	f.13. Waste Origin. Describe the site and type of facility at which the CERCLA/RCRA/or other remedial waste originates (or is expected to originate in the next five years).					
F.14		Dilutants. List the hazardous constituents that are received own. (Attach additional sheets if necessary).	(or are exped	pected to be received). Include data on volume and concentration, if		
F 45				· · · · · · · · · · · · · · · · · · ·		
F.15		aste Treatment. Is this waste treated (or will it be treated) prior to entering	the treatment	ent works?		
		YesNo If yes, describe the treatment (provide information about the	ne removal ef	efficiency):		
	b.	Is the discharge (or will the discharge be) continuous or in Continuous Intermittent If		t, describe discharge schedule.		
			miernatient, t	t, describe discribinge scriedule.		

END OF PART F.

REFER TO THE APPLICATION OVERVIEW TO DETERMINE WHICH OTHER PARTS OF FORM 2A YOU MUST COMPLETE

FACILITY NAME AND PERMIT NUMBER:	Form Approved 1/14/99 OMB Number 2040-0086
SUPPLEMENTAL APPLICATION INFORMATION	
PART G. COMBINED SEWER SYSTEMS	
If the treatment works has a combined sewer system, complete Part G.	
G.1. System Map. Provide a map indicating the following: (may be included with	h Basic Application Information)
a. All CSO discharge points.	
 b. Sensitive use areas potentially affected by CSOs (e.g., beaches, drinki outstanding natural resource waters). 	ng water supplies, shellfish beds, sensitive aquatic ecosystems, and
c. Waters that support threatened and endangered species potentially aff	ected by CSOs.
G.2. System Diagram. Provide a diagram, either in the map provided in G.1. or that includes the following information:	on a separate drawing, of the combined sewer collection system
a. Locations of major sewer trunk lines, both combined and separate san	itary.
b. Locations of points where separate sanitary sewers feed into the comb	ined sewer system.
c. Locations of in-line and off-line storage structures.	
d. Locations of flow-regulating devices.	
e. Locations of pump stations.	
CSO OUTFALLS:	
Complete questions G.3 through G.6 once for each CSO discharge point.	
G.3. Description of Outfall.	
a. Outfall number	
a. Saliali Hambel	
b. Location (City or town, if applicable)	(Zip Code)
(Gity of town, if applicable)	(Zip Code)
(County)	(State)
(Latitude)	(Longitude)
c. Distance from shore (if applicable)	ft.
d. Depth below surface (if applicable)	ft.
Which of the following were monitored during the last year for this CSC	
RainfallCSO pollutant concentrationsCSO flow volumeReceiving water quality	CSO frequency
Neceiving water quality	
f. How many storm events were monitored during the last year?	
G.4. CSO Events.	
a. Give the number of CSO events in the last year.	
events (actual orapprox.)	
b. Give the average duration per CSO event.	

actual or _

approx.)

hours (_

FACILI	TY NAME AND PERMIT NUMBER:	Form Approved 1/14/99 OMB Number 2040-0086
C	. Give the average volume per CSO event.	
	million gallons (actual or approx.)	
d	. Give the minimum rainfall that caused a CSO event in the last year.	
	inches of rainfall	
G.5. D	escription of Receiving Waters.	
а	Name of receiving water:	
t	Name of watershed/river/stream system:	
	United States Soil Conservation Service 14-digit watershed code (if k	nown):
c	: Name of State Management/River Basin:	
	United States Geological Survey 8-digit hydrologic cataloging unit co	de (if known):
G.6. C	SO Operations.	
ŗ	Describe any known water quality impacts on the receiving water caused permanent or intermittent shell fish bed closings, fish kills, fish advisories quality standard).	
-		
	END OF PA	

2A YOU MUST COMPLETE.

Additional information, if provided, will appear on the following pages.